

## Kinematics

$$\vec{v}_{ave} = \frac{\Delta \vec{d}}{\Delta t} \quad \vec{d} = \vec{v}_f t - \frac{1}{2} \vec{a} t^2$$

$$\vec{a}_{ave} = \frac{\Delta \vec{v}}{\Delta t} \quad \vec{d} = \left( \frac{\vec{v}_f + \vec{v}_i}{2} \right) t$$

$$\vec{d} = \vec{v}_i t + \frac{1}{2} \vec{a} t^2 \quad \vec{v}_f^2 = \vec{v}_i^2 + 2 \vec{a} \vec{d}$$

$$|\vec{v}_c| = \frac{2\pi r}{T} \quad |\vec{a}_c| = \frac{\vec{v}^2}{r} = \frac{4\pi^2 r}{T^2}$$

## Dynamics

$$\vec{a} = \frac{\vec{F}_{net}}{m} \quad |F_g| = \frac{G m_1 m_2}{r^2}$$

$$|\vec{F}_f| = \mu |\vec{F}_N| \quad |\vec{g}| = \frac{G m_1}{r^2}$$

$$\vec{F}_s = -k \vec{x} \quad \vec{g} = \frac{\vec{F}_g}{m}$$

## Energy

$$W = |\vec{F}| |\vec{d}| \cos \theta \quad E_k = \frac{1}{2} m v^2$$

$$W = \Delta E \quad E_p = mgh$$

$$P = \frac{W}{t} \quad E_p = \frac{1}{2} k x^2$$

## Waves and Simple Harmonic Motion

$$T = 2\pi \sqrt{\frac{m}{k}} \quad v_{max} = A \sqrt{\frac{k}{m}}$$

$$T = 2\pi \sqrt{\frac{l}{g}} \quad f = \left( \frac{v}{v \pm v_s} \right) f_s$$

$$T = \frac{1}{f} \quad v = f \lambda$$

$$l = \frac{1}{4} \lambda \quad l = \frac{1}{2} \lambda \quad K = \frac{T^2}{r^3}$$

## Constants

Acceleration Due to Gravity **or**

Gravitational Field Near Earth.....  $|\vec{a}_g| = 9.81 \text{ m/s}^2$

Gravitational Constant.....  $G = 6.67 \times 10^{-11} \text{ N}\cdot\text{m}^2/\text{kg}^2$

Radius of Earth.....  $r_e = 6.37 \times 10^6 \text{ m}$

Mass of Earth.....  $M_e = 5.97 \times 10^{24} \text{ kg}$

Speed of Light in Vacuum.....  $c = 3.00 \times 10^8 \text{ m/s}$

Speed of Sound in Air at 20°C.....  $v_{\text{sound}} \approx 340 \text{ m/s}$

## Physics Principles

**0** Uniform motion ( $F_{\text{net}} = 0$ )

**1** Accelerated motion ( $F_{\text{net}} \neq 0$ )

**2** Uniform circular motion ( $F_{\text{net}}$  is radially inward)

**3** Work-energy theorem

**4** Conservation of energy

## Trigonometry and Geometry

$$\sin \theta = \frac{\textit{opposite}}{\textit{hypotenuse}} \quad \frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$\cos \theta = \frac{\textit{adjacent}}{\textit{hypotenuse}} \quad c^2 = a^2 + b^2 - 2ab \cos \theta$$

$$\tan \theta = \frac{\textit{opposite}}{\textit{adjacent}} \quad c^2 = a^2 + b^2 \quad \textit{slope} = \frac{\Delta y}{\Delta x}$$

### Area

Rectangle =  $l w$

Triangle =  $\frac{1}{2} ab$

Circle =  $\pi r^2$

### Circumference

Circle =  $2\pi r$

## Prefixes Used With SI Units

Prefix	Symbol	Exponential Value	Prefix	Symbol	Exponential Value
atto	a	$10^{-18}$	tera	T	$10^{12}$
femto	f	$10^{-15}$	giga	G	$10^9$
pico	p	$10^{-12}$	mega	M	$10^6$
nano	n	$10^{-9}$	kilo	k	$10^3$
micro	$\mu$	$10^{-6}$	hecto	h	$10^2$
milli	m	$10^{-3}$	deka	da	$10^1$
centi	c	$10^{-2}$			
deci	d	$10^{-1}$			